

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	472	600/513.ccls.	US-PGPUB; USPAT	OR	ON	2009/02/18 09:37
L2	15	"4541417"	US-PGPUB; USPAT	OR	ON	2009/02/18 09:43
L3	552	600/515.ccls.	US-PGPUB; USPAT	OR	ON	2009/02/18 10:07
S1	1883	("T" near wave) and ("R" near wave)	US-PGPUB; USPAT	OR	ON	2007/11/13 10:36
S2	751	S1 and @py<="2001"	US-PGPUB; USPAT	OR	ON	2007/11/13 10:36
S3	65	(voltage near range) and electrotherapy	US-PGPUB; USPAT	OR	ON	2007/11/13 10:37
S4	537	600/515.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:43
S5	144	electrotherapy and (parameter\$ same vary\$)	US-PGPUB; USPAT	OR	ON	2007/11/13 10:45
S6	147	electrotherapy and (parameter\$ same vary\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:46
S7	0	wo0113990	US-PGPUB; USPAT	OR	ON	2007/11/13 10:49
S8	0	wo01013990	US-PGPUB; USPAT	OR	ON	2007/11/13 10:49
S9	0	wo01013990	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:49
S10	0	2001/013990	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:50

S11	459	600/513.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:51
S12	487	600/513.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 08:21
S13	558	600/515.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 08:40
S14	5	"2001013990"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 12:40
S15	1	"09378181"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 12:49
S16	10	"6450942"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 12:51
S17	17	("3859989" "3911898" "4077402" "4269175" "4343302" "4541417" "4590925" "4809676" "5084281" "5279283" "5370603" "5377671" "5458626" "5514079" "5554103"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 12:52

		"5707400" "5820567").PN.				
S18	0	S16 and electrotherapy	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 12:55
S19	0	S16 and (electrotherapy same device)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 12:55
S20	5	S16 and (electrical same stimulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 12:56
S21	1	S16 and (electrical same parameters)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 12:57
S22	9	S16 and (parameters or parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 12:58
S23	6	S16 and ("T" same wave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:00
S24	2	S16 and offset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:01
S25	0	S16 and (("R" same "R") and "%")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:01
S26	10	S16 and ("R" same "R")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:02

S27	4	S16 and ((average or representative) same ("R" same "R"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:03
S28	5	S16 and microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:05
S29	0	S16 and (random same generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:05
S30	2	S16 and ("10" same "v")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:06
S31	0	S16 and ("1000" same "Hz")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:08
S32	5	S16 and ("Hz")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:09
S33	2	S16 and ("ms")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:10
S34	4	S16 and (pulse same duration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:11

S35	1	S16 and (predict\$ same "T")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:15
S36	8	S16 and simultaneously	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:18
S37	2	S16 and (time same offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 13:19
S38	3	"6832982"	US-PGPUB; USPAT	OR	ON	2008/07/30 08:38
S39	2	S38 and offset	US-PGPUB; USPAT	OR	ON	2008/07/30 08:39
S40	0	S38 and (average and representative)	US-PGPUB; USPAT	OR	ON	2008/07/30 08:40
S41	0	S38 and predicted	US-PGPUB; USPAT	OR	ON	2008/07/30 08:41
S42	0	S38 and predict	US-PGPUB; USPAT	OR	ON	2008/07/30 08:41
S43	3	S38 and parameters	US-PGPUB; USPAT	OR	ON	2008/07/30 08:41
S44	3	S38 and vary	US-PGPUB; USPAT	OR	ON	2008/07/30 08:42
S45	2	S38 and (limits and cycles)	US-PGPUB; USPAT	OR	ON	2008/07/30 08:44
S46	2	S38 and (minutes and cycles)	US-PGPUB; USPAT	OR	ON	2008/07/30 08:45
S47	3	S38 and "Hz"	US-PGPUB; USPAT	OR	ON	2008/07/30 08:47
S48	3	S38 and "ms"	US-PGPUB; USPAT	OR	ON	2008/07/30 08:48
S49	3	S38 and duration	US-PGPUB; USPAT	OR	ON	2008/07/30 08:48
S50	2	S38 and simultaneously	US-PGPUB; USPAT	OR	ON	2008/07/30 08:49
S51	1	"09378181"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:23

S52	10	"6450942"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:24
S53	0	"200113390"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:39
S54	0	WO200113390	US-PGPUB; USPAT	OR	ON	2008/10/08 13:39
S55	2	"0113390"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:39
S56	2	"6450942" and offset	US-PGPUB; USPAT	OR	ON	2008/10/08 13:40
S57	10	"6450942"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:41
S58	0	"6450942" and electrotherapy	US-PGPUB; USPAT	OR	ON	2008/10/08 13:42
S59	10	"6450942"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:42
S60	5	"6450942" and microprocessor	US-PGPUB; USPAT	OR	ON	2008/10/08 13:43
S61	6	"6450942" and pattern	US-PGPUB; USPAT	OR	ON	2008/10/08 13:43
S62	0	"6450942" and (random same generator)	US-PGPUB; USPAT	OR	ON	2008/10/08 13:44
S63	4	"6450942" and (pulse same duration)	US-PGPUB; USPAT	OR	ON	2008/10/08 13:44
S64	4	S63 and "ms"	US-PGPUB; USPAT	OR	ON	2008/10/08 13:44
S65	15	"4541417"	US-PGPUB; USPAT	OR	ON	2009/02/13 12:10

2/18/2009 10:38:28 AM

C:\Documents and Settings\nlavert\My Documents\EAST\Workspaces\10578340.wsp